

Checklist for Pages that resemble the main Templated Pages

I. A. Styles	2
I. B. Scripts	3
II. XHTML <body> tag elements	4
II. A. Overall body tag elements including page width.....	4
II. B. The Standard NLM Header body tag element	4
II. B. 1. Header Left	4
II. B. 2. Search Under	5
II. C. Dropdown Navigation body tag element	6
II. D. "main-body" body tag element	7
II. D. 1 Divisional Branding Bar	7
II. D. 1. a. Standard Empty NLM Divisional Branding Bar.....	7
II. D. 1. b. Divisional Branding Bar Color Schemes	7
II. D. 1. b. i. Divisional Branding Bar - Example HMD	8
II. D. 1. c. Divisional Branding Bar – Navigation	9
II. D. 2. Breadcrumb Bar.....	10
II. D. 3. Body Content	10
II. D. 4. Footer.....	11

Complete (Y/N)	Element (sub element) With HTML Code	Example Requirement Note
	<p>I. A. Styles</p> <p><u>reset.css</u></p> <ul style="list-style-type: none"> • Requirement Note: reset.css is required. • A CSS Main Reset to help with consistent view across browsers. • reset.css should be linked to using the following html code: <code><link href="http://www.nlm.nih.gov/styles/reset.css" rel="stylesheet" type="text/css" media="all" /></code> <p><u>master.css</u></p> <ul style="list-style-type: none"> • Requirement Note: master.css is required. • The main styles for the entire site. • master.css should be linked to using the following html code: <code><link href="http://www.nlm.nih.gov/styles/master.css" rel="stylesheet" type="text/css" media="screen" /></code> <p><u>ie.css</u></p> <ul style="list-style-type: none"> • Requirement Note: ie.css is required. • An IE8 and below stylesheet, that fixes some display issues. • ie.css should be linked to using the following html code: <code><!--[if lte IE 8]> <link href="http://www.nlm.nih.gov/styles/ie.css" rel="stylesheet" media="screen"> <![endif]--></code> <p><u>print.css</u></p> <ul style="list-style-type: none"> • Requirement Note: print.css is recommended. • Style used when a page is printed. NLM Header and background colors are not printed. • Side bars are moved to the bottom of the page • print.css should be linked to using the following html code: <code><link rel="stylesheet" href="http://www.nlm.nih.gov/styles/print.css" type="text/css" media="print" /></code> 	<p>Not Visible to the user</p> <p>Requirement Note: Links to all the Styles except for print.css are required.</p>

Complete (Y/N)	Element (sub element) With HTML Code	Example Requirement Note
	<p>I. B. Scripts</p> <ul style="list-style-type: none"> Requirement Note: All scripts are required. These scripts should be linked so that the drop-down menu works correctly. The scripts also enable the display of rounded page corners in IE8 and below. <pre> <script type="text/javascript" src="http://www.nlm.nih.gov/scripts/jquery-min.js"></script> <!--[if lte IE 8]> <script type="text/javascript" src="http://www.nlm.nih.gov/scripts/PIE.js"></script> <![endif]--> <script type="text/javascript" src="http://www.nlm.nih.gov/scripts/masterfull.js"></script></pre> <ul style="list-style-type: none"> These scripts should be linked so the "add this" button works correctly. <pre> <script type="text/javascript">var addthis_config = {"data_track_clickback":true};</script> <script type="text/javascript" src="http://s7.addthis.com/js/250/addthis_widget.js#username=nationallibraryofmedicine"></script></pre> <p>NOTE: The "addthis_widget.js" script can also be placed right before the ending "body" tag. Placing the script in this location will increase page performance</p>	Not Visible to the user Requirement Note: All Scripts are required .

	<p>II. XHTML <body> tag elements</p> <ul style="list-style-type: none"> • Requirement Note: The <body> tag is required. 	Example not relevant for this item.
	<p>II. A. Overall body tag elements including page width</p> <ul style="list-style-type: none"> • Requirement Note: One set of page width div tags is required. • Note: everything on the page resides inside one of these two options. <ul style="list-style-type: none"> ○ Fluid width option. Inside the body tag, add the following code: <pre><div id="wrapper-fluid"> <div id="container-fluid"></pre> ○ Fixed width option. Inside the body tag, add the following code: <pre><div id="wrapper"> <div id="container"></pre> 	Example not relevant for this item.
	<p>II. B. The Standard NLM Header body tag element</p> <ul style="list-style-type: none"> • Requirement Note: The “NLM Header” body tag element is required. • The entire header resides in its own div called <div id="header-sub"> • Each section of the header is broken up into two sections. • The left side <div id="header-left"> and • The right side <div class="search-under"> 	 <p>Requirement Note: The “NLM Header” body tag element is required.</p>
	<p>II. B. 1. Header Left</p> <ul style="list-style-type: none"> • HTML Markup: <pre><div id="header-sub"> <div id="header-left"> <div class="slug"> <div class="slug-title">U.S. National Library of Medicine</div> <div class="slug-int">National Institutes of Health</div> </div> </div></pre>	 <p>Requirement Note: The “Header Left” body tag element is required.</p>

II. B. 2. Search Under


- **Requirement Note:** The “Search Under” body tag element is **required**.
- **HTML Markup:**

```
<div class="search-under">
    <p class="contact-us"><a href="http://apps.nlm.nih.gov/mainweb/siebel/nlm/index.cfm">Contact NLM</a></p>

    <div class="social-home">
        <!-- AddThis Button BEGIN -->
        <a style="text-decoration: none;" class="addthis_button_compact" href="http://www.addthis.com/bookmark.php?v=250&username=nationallibraryofmedicine">
            </a>
        <!-- AddThis Button END -->

        <a href="/listserv/rss_podcasts.html">
            
        </a>
        <a href="http://twitter.com/nlm_news">
            
        </a>
        <a href="http://www.facebook.com/nationallibraryofmedicine">
            
        </a>
    </div>

    <form method="get" action="http://vsearch.nlm.nih.gov/vivisimo/cgi-bin/query-meta" target="_self" name="searchForm" id="searchForm">
        <label for="search" class="hidden">Search</label>
        <input type="text" name="query" value="Search" class="search-input" id="search"/>
        <input type="hidden" name="v:project" value="nlm-main-website" />
    </form>
</div>
<div class="clearer"></div>
</div>
```



Requirement Note: The “Search Under” body tag element is **required**.

II. C. Dropdown Navigation body tag element

- Requirement Note:** The “Dropdown Navigation” body tag element is required.
- The dropdown navigation is generated by an XML file and javascript. The XML file is <http://www.nlm.nih.gov/sitenav.xml>. Everything is inside #nav.
- Since the Dropdown Navigation is created on the fly, it is very important that you have the noscript section.
- Note: The text “The World’s Largest Medical Library” is controlled by the child div `<div id="wlml">`
- The `<div class="clearer"></div>` is important to allow the code after this section to format properly.
- HTML Markup:

```



<div id="nav">
    <!--Open Nav-->
    <div id="nojs">
        <noscript>
            <ul id="no-script-nav">
                <li><a href="/noscript-nav.html">Site
                    Navigation</a></li>
            </ul>
        </noscript>
    </div>

    <!--Open drop-->
    <ul class="topnav">
        <li></li>
    </ul>
    <!--Close drop-->

    <div id="wlml">The World's Largest Medical Library</div>
</div>
<div class="clearer"></div>
<!--Close Nav-->

```

Requirement Note: The “Dropdown Navigation” body tag element is required.

	<p>II. D. "main-body" body tag element</p> <ul style="list-style-type: none"> Requirement Note: The "main-body" body tag element is required. All the HTML markup from this point until the end of the page is contained in: <code><div id="main-body" class="nlm-blue"></code> There are different classes for different color schemes 	 <p>Requirement Note: The "main-body" body tag element is required.</p>
	<p>II. D. 1 Divisional Branding Bar</p> <ul style="list-style-type: none"> Requirement Note: The "Divisional Branding Bar" body tag element is required. <ul style="list-style-type: none"> You must use either the <i>Standard Empty NLM Divisional Branding Bar</i> or a specific <i>Divisional Branding Bar</i>. The Divisional Branding Bar is placed between <code><div id="barbranding"></code> and its associated closing <code></div></code> tag. Note: The Divisional Branding Bar should be on every page. Empty or not. 	<p>Example not relevant for this item.</p> <p>Requirement Note: The "Divisional Branding Bar" body tag element is required.</p> <p>You must use either the <i>Standard Empty NLM Divisional Branding Bar</i> or a specific <i>Divisional Branding Bar</i>.</p>
	<p>II. D. 1. a. Standard Empty NLM Divisional Branding Bar</p> <ul style="list-style-type: none"> Requirement Note: The Standard Empty NLM Divisional Branding Bar is only required if a specific Divisional Branding Bar is not used. (See specific Divisional Branding Bar instructions below). HTML Markup: <code><div id="barbranding"></div></code> 	 <p>Requirement Note: The Standard Empty NLM Divisional Branding Bar is only required if a specific Divisional Branding Bar is not used. (See specific Divisional Branding Bar instructions below).</p>
	<p>II. D. 1. b. Divisional Branding Bar Color Schemes</p> <ul style="list-style-type: none"> Requirement Note: The Divisional Branding Bar is required if the Standard Empty NLM Divisional Branding Bar is not used. There are a number of different colors for the Divisional Branding Bar. The color is controlled by adding a class to <code>#main-body</code> which opens prior to <code>#barbranding</code>. Divisional Branding color class options are, <code>.nlm-blue</code> (default), <code>.hmd-red</code>, <code>.gold</code>, <code>.dpPurple</code>, <code>.ltPurple</code>, <code>.navy</code>, <code>.green</code>, <code>.gray</code>, <code>.grape</code>, <code>.deepPurple</code>, <code>.orange</code>, <code>.teal</code>, <code>.white</code>, <code>.brown</code>, <code>.black</code>, <code>.goldenrod</code> HMD HTML Markup example: <code><div id="main-body" class="hmd-red"></code> 	<p>Example not relevant for this item.</p> <p>Requirement Note: The Divisional Branding Bar is required if the Standard Empty NLM Divisional Branding Bar is not used.</p>

- **Requirement Note:** The Divisional Branding Bar is **required** if the Standard Empty NLM Divisional Branding Bar is not used.
- HTML Markup:

```
<!--Start Branding Bar-->
<div id="barbranding">
  <h3>History of Medicine</h3>
  <div class="breadcrumb-brand">
    <p>
      <a href="/hmd/index.html" title="History of Medicine Home"><strong>History Home</strong></a> | 
      <a href="/hmd/about/index.html" title="About HMD"><strong>About Us</strong></a> | 
      <a href="/hmd/about/visitus.html" title="Visit HMD"><strong>Visit Us</strong></a> | 
      <a href="/hmd/about/contactus.html" title="Contact HMD"><strong>Contact Us</strong></a> | 
      <a href="/hmd/happening/tours.html" title="HMD Tours"><strong>Tours</strong></a> | 
      <a href="/hmd/about/faqs/index.html" title="Frequently Asked Questions"><strong>FAQs</strong></a> | 
      <a href="/hmd/help/reference/copyright.html" title="Copyright"><strong>Copyright</strong></a> | 
      <a href="/hmd/sitemap/index.html" title="History of Medicine Site Map"><strong>HMD Site Map</strong></a>
    </p>
  </div>
</div>
```

Requirement Note: The Divisional Branding Bar is **required** if the Standard Empty NLM Divisional Branding Bar is not used.

II. D. 1. c. Divisional Branding Bar – Navigation

- **Requirement Note:** The “Divisional Branding Bar – Navigation” is **required** in this format if Division-wide links are needed.
 - This component should be used consistently across all pages used by the Divisional Branding Bar.
 - Note: Navigation elements are separated by a “|” (pipe) character.
- The navigation component of the Divisional Branding bar is placed between `<div class="breadcrumb-brand">` and its associated closing `</div>` tag.
- HTML Markup:


```
<div class="breadcrumb-brand">
  <p>br />    <a href="/hmd/index.html" title="History of
  Medicine Home"><strong>History Home</strong></a> |
  href="/hmd/about/visitatus.html" title="Visit HMD"><strong>Visit
  Us</strong></a> |
  <a href="/hmd/about/contactus.html" title="Contact
  HMD"><strong>Contact Us</strong></a> |<br />    <a
  href="/hmd/happening/tours.html" title="HMD
  Tours"><strong>Tours</strong></a> |
  <a href="/hmd/about/faqs/index.html" title="Frequently
  Asked Questions"><strong>FAQs</strong></a> |
  <a href="/hmd/help/reference/copyright.html"
  title="Copyright"><strong>Copyright</strong></a> |
  <a href="/hmd/sitemap/index.html" title="History of
  Medicine Site Map"><strong>HMD Site Map</strong></a>
  </p>
</div>
```

Requirement Note: The “Divisional Branding Bar – Navigation” is **required** in this format if Division-wide links are needed.

This component should be used consistently across all pages used by the Divisional Branding Bar.

Note: Navigation elements are separated by a “|” (pipe) character.

<h2>II. D. 2. Breadcrumb Bar</h2> <ul style="list-style-type: none"> Requirement Note: The “Breadcrumb Bar is required in this format if breadcrumbs are used on the page. <ul style="list-style-type: none"> Breadcrumb use is strongly encouraged for usability. Note: Navigation elements are separated by a “>” (greater than) character Using breadcrumbs to refer to current page is optional. Recommendation – Breadcrumb on current page. If a “crumb” is to be used for the current page it is recommended not to make the “crumb” hyperlinked. By excluding the link, the style of the “crumb” will use the emphasis style as defined in the master.css Breadcrumbs are placed between <div id= "breadcrumb-div"> and its associated closing </div> tag. HTML Markup: 	<p>Home > Breadcrumb Example > Breadcrumb Example - This Page</p> <p>Requirement Note: The “Breadcrumb Bar is required in this format if breadcrumbs are used on the page.</p> <p>Breadcrumb use is strongly encouraged for usability.</p> <p>Note: Navigation elements are separated by a “>” (greater than) character</p> <p>Using breadcrumbs to refer to current page is optional.</p> <p>Recommendation – Breadcrumb on current page. If a “crumb” is to be used for the current page it is recommended not to make the “crumb” hyperlinked. By excluding the link, the style of the “crumb” will use the emphasis style as defined in the master.css</p>
<h2>II. D. 3. Body Content</h2> <ul style="list-style-type: none"> Requirement Note: The “Body Content” div tags are required. <ul style="list-style-type: none"> In order for body elements to display properly, elements must be in a semantic tag (e.g. <p>, <th>, <table>, , etc.) Elements must not be in just a container tag - e.g. <div> text </div> After the closing breadcrumbs </div> tag, place your content between <div id= "body"> and its associated closing </div> tag HTML Markup <pre><div id="body"> <!--Your information goes here-->br /><div class="clearer"></div> </div></pre>	<p>Home > Breadcrumb Example</p> <p>Requirement Note: The “Body Content” div tags are required.</p> <p>In order for body elements to display properly, elements must be in a semantic tag (e.g. <p>, <th>, <table>, , etc.)</p> <p>Elements must not be in just a container tag - e.g. <div> text </div></p>

II. D. 4. Footer

- **Requirement Note:** The left and center footer elements are **required**.
 - Use the “Footer Review” section to best indicate the currency of the content. Some types of content will require all of the date fields. Other types of content will not require any of the date fields.
 - If in doubt, please ask for guidance using the [Contact NLM form](#). In the Subject field of the form, use the term “Question Regarding Main Web Site - Coding Instructions.”
- The standard footer should be seen at the bottom of every page.
- It is made up of 3 parts
 - Footer Info (left side)
 - Footer USA (middle section)
 - Footer Review (right side)
- **HTML Markup:**

```
<div id="footer-sub">
    <p id="footer-info">
        <a href="http://www.nlm.nih.gov/copyright.html">Copyright</a>,
        <a href="http://www.nlm.nih.gov/privacy.html">Privacy</a>,
        <a href="http://www.nlm.nih.gov/accessibility.html">Accessibility</a>,
        <a href="/sitemap.html">Site Map</a>,
        <a href="/plugins.html">Viewers and Players</a>

        <br />
        U.S. National Library of Medicine, 8600 Rockville Pike, Bethesda, MD 20894
        <br />
        <a href="http://www.nih.gov/">National Institutes of Health</a>,
        <a href="http://www.hhs.gov/">Health & Human Services</a>
        <br />
        <a href="http://www.nih.gov/icd/od/foia/index.htm">Freedom of Information Act</a>,
        <a href="http://apps.nlm.nih.gov/mainweb/siebel/nlm/index.cfm">Contact Us</a></p>

    <div id="footer-usa">
        <a href="http://www.usa.gov/">
            
        </a>
    </div>
    <p id="footer-review">
        <strong>Last reviewed:</strong> 11 January 2011<br />
        <strong>Last updated:</strong> 11 January 2011<br />
        <strong>First published:</strong> 21 April 2004<br />
    </p>
</div>
```

Requirement Note: The left and center footer elements are required.

Use the “Footer Review” section to best indicate the currency of the content. Some types of content will require all of the date fields. Other types of content will not require any of the date fields.

If in doubt, please ask for guidance using the [Contact NLM form](#). In the Subject field of the form, use the term “Question Regarding Main Web Site - Coding Instructions.”